


Automatic Cleaner

▶1811

Automatic pool cleaner 10pcs*100cm/pc hose included(standard)





Product Feature

- Removing leaves, stones, tree seeds, hairs, sands, debris, clean the swimming pools
- Suitable for both above ground and in-ground pools till water depth 3m
- Suitable pump from 0.75hp to 1.5hp
- Working by diaphragm structure
- Shipping with 10m hoses(10pcs*100cm/pc)
- Easy to install, no tools needed
- Silence when working
- Strong at corner movement, and creep back from corner quickly

Automatic Cleaner

▶1809

Automatic pool cleaner 10pcs*100cm/pc hose included(standard)



Product Feature

- Removing leaves, stones, tree seeds, hairs, sands, debris, clean the swimming pools
- Suitable for both above ground and in-ground pools till water depth 3m
- Suitable pump from 0.75hp to 1.5hp
- Working by diaphragm structure
- Shipping with 10m hoses(10pcs*100cm/pc)
- Easy to install, no tools needed
- Silence when working
- Strong at corner movement, and creep back from corner quickly

Automatic Cleaner

▶ 1801

Automatic pool cleaner 12pcs*80cm/pc hose included



Product Feature

- Removing leaves,stones,tree seeds,hairs,sands,debris,to clean the swimming pools
- Suitable for both in-ground and above ground swimming pools till water depth 3M
- Suitable pump from 0.75hp to 2hp
- Working by flapper structure
- Shipping with 9.6m hoses(12pcs*80cm/pc)

Automated Leaf Skimmer

▶ 1762

The leaf skimmer is unique in design,it skimmer the surface of your pool and removes all floating debris such as leaves,grass clippings and insects(The leaf skimmer is attached to the aimflow - this is where the water returns to your pool from the filter)

- **Easy Installation**
No drilling or gluing required
- **Easy To Clean**
Clip on bag for easy removal
- **Floating Hat**
Self adjusts to the water levels of your pool
- **Co-Operation**
Works in conjunction with your automatic pool cleaner
- **Reduces The Pump`S Workload**
Increases it's life span
- **Flexibility**
Designed to suit any pool



Cover Reel


▶ 1756

In-ground poolcover reel with aluminium stands .
Material:ABS+AL



Product Feature

- Anodized aluminum stands
- Buckles or elastic rope to attach pool cover to roller
- Length can be customized
- Max.loading capacity:60kgs
- Detachable stands save freight cost



① Load bearing wheel

② Aluminum tube bracket

③ Buckles to attach pool cover to roller

④ Elastic rope to attach pool cover to roller

Cover Reel


▶ 1757

In ground poolcover reel with aluminium stands
Material:ABS+AL



Product Feature

- Anodized aluminum stands
- Buckles or elastic rope to attach pool cover to roller
- Length can be customized
- Max.loading capacity:60kgs
- Detachable stands save freight cost



① Load bearing wheel

② Aluminum tube bracket

③ Buckles to attach pool cover to roller

④ Elastic rope to attach pool cover to roller

Cover Reel

▶ 1758

In-ground pool cover reel with stainless steel stands
Material:ABS+SS304



Product Feature

- Stainless steel stands
- Buckles or elastic rope to attach pool cover to roller
- Length can be customized
- Max.loading capacity:60kgs
- Detachable stands save freight cost



Load bearing wheel



Stainless Steel Tube Bracket



Buckles to attach pool cover to roller



Elastic rope to attach pool cover to roller

Cover Reel

▶ 1759

In-ground pool cover reel with stainless steel stands
Material:ABS+SS304



Product Feature

- Stainless steel stands
- Buckles or elastic rope to attach pool cover to roller
- Length can be customized
- Max.loading capacity:60kgs



Load bearing wheel



Stainless steel tube bracket



Buckles to attach pool cover to roller



Elastic rope to attach pool cover to roller

Cover Reel

▶ 1760

In-ground pool cover reel with stainless steel stands
Material:ABS+SS304

Product Feature

- Stainless steel stands
- Buckles or elastic rope to attach pool cover to roller
- Length can be customized
- Max.loading capacity:60kgs



Cover Reel

▶ 1761

In-ground pool cover reel with stainless steel stands
Material:ABS+SS304

Product Feature

- Stainless steel stands
- Buckles or elastic rope to attach pool cover to roller
- Length can be customized
- Max.loading capacity:60kgs
- Detachable stands save freight cost



Load bearing wheel



stainless steel tube bracket



Buckles to attach pool cover to roller



Elastic rope to attach pool cover to roller



Load bearing wheel



Stainless steel tube bracket



Buckles to attach pool cover to roller



Elastic rope to attach pool cover to roller

Cover Reel



▶ 1717




▶ 17172

1717	Above ground pool cover reel W/ABS frame for ϕ 3-1/4" & 1-1/2" tubes(not include tubes)
17172	Above ground pool cover reel with ABS frame with two base ,And include 7x1.05m+1x0.32m hexagonal aluminium tube
2327LC	Aluminium tubes for 1717, 3X2.7m (hexagonal)
2335LC	Aluminium tubes for 1717, 3X3.55m (hexagonal)
2321LC	Aluminium tubes for 1717, 3X2.1m (hexagonal)

Plastic Sand Filter Filtration Combo

- Designed For Above Ground Pools
- Include 4 way Valve, and System Base



NEW

• Maximum Working Pressure
200kpa/28psi/2.0bar

• Factory Testing Pressure
300kpa/44psi/3.0bar

• Maximun Water Temperature
40°C(104°F)

• Size Of Silica Sand
0.5-0.8mm


• Color can be Customized
■ ■ ■ ■

Technical Characteristics ▼

Model No.	A		B		Fillter Area(M ²)	Pump(Kw)	Valve Connections		Max Flow Rate		Sand(Kg)
	mm	in	mm	in							
2520	250	9.8	380	15	0.05	0.18	1½ inch	38mm	40lpm	2.4m ³ /h	8

Plastic Sand Filter Top Mount Filter

- Compact and light weight
- Designed for most domestic swimming pools or spa pools
- Clamp lock is designed to allow 360 degree rotation to simplify installation
- Easy-to-use multiport valve lets you select any of the valve/ filter operation with a simple lever-action



• **Maximum Working Pressure**
200kpa/28psi/2.0bar

• **Factory Testing Pressure**
300kpa/44psi/3.0bar

• **Maximum Water Temperature**
40°C(104°F)

• **Size Of Silica Sand**
0.5-0.8mm

• **Maximum Filtration Velocity**
50m³/h/m²


• **Color can be Customized**
■ ■ ■ ■

Technical Characteristics ▼

Model No.	A		B		C		D		E		Filter Area(M ²)	Valve Connections	Max Flow Rate		Sand(Kg)
	mm	in	mm	in	mm	in	mm	in	mm	in			lpm	m ³ /h	
2501	360	14.2	340	13.4	730	28.7	550	21.7	619	24.4	0.1	1.5inch 50mm	72lpm	4.32m ³ /h	20
2502	400	15.7	340	13.4	810	31.9	590	23.2	640	25.2	0.13	1.5inch 50mm	102lpm	6.12m ³ /h	35
2503	460	18.1	420	16.5	840	33.1	638	25.1	698	27.5	0.16	1.5inch 50mm	130lpm	7.80m ³ /h	45
2504	510	20.1	420	16.5	860	33.9	670	26.4	730	28.7	0.22	1.5inch 50mm	180lpm	10.80m ³ /h	85
2505	620	24.4	480	18.9	1075	42.3	900	35.4	960	37.8	0.31	1.5inch 50mm	255lpm	15.30m ³ /h	145

Plastic Sand Filter Side Mount Filter

- Transparent lid cover allows easy inspection of the sand bed
- Top diffuser ensures even distribution of water over the top of the sand bed
- Air relief bolt enables easy release of trapped air during operation of the filter
- Easy-to-use multiport valve lets you select any of the valve/ filter operation with a simple lever-action



• **Maximum Working Pressure**
200kpa/28psi/2.0bar

• **Factory Testing Pressure**
300kpa/44psi/3.0bar

• **Maximum Water Temperature**
40°C(104°F)

• **Size Of Silica Sand**
0.5-0.8mm

• **Maximum Filtration Velocity**
50m³/h/m²


• **Color can be Customized**
■ ■ ■ ■

Technical Characteristics ▼

Model No.	A		B		C		D		E		F		Filter Area(M ²)	Valve Connections	Max Flow Rate		Sand(Kg)
	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in			lpm	m ³ /h	
2506	460	18.1	420	16.5	180	7.1	660	26.0	440	17.3	500	19.6	0.16	1.5inch 50mm	130lpm	7.80m ³ /h	45
2507	510	20.1	420	16.5	180	7.1	700	27.6	460	18.1	520	19.6	0.22	1.5inch 50mm	180lpm	10.80m ³ /h	85
2508	620	24.4	480	18.9	180	7.1	940	37.0	510	20.1	570	22.4	0.31	1.5inch 50mm	255lpm	15.30m ³ /h	145

Plastic Sand Filter Filtration Combo

- Compact and light weight
- Designed for most domestic swimming pools or spa pools
- Clamp lock is designed to allow 360 degree rotation to simplify installation
- Easy-to-use multiport valve lets you select any of the valve/filter operation with a simple lever-action



• **Maximum Working Pressure**
200kpa/28psi/2.0bar

• **Factory Testing Pressure**
300kpa/44psi/3.0bar

• **Maximum Water Temperature**
40°C(104°F)

• **Size Of Silica Sand**
0.5-0.8mm

• **Color can be Customized**
■ ■ ■ ■


Technical Characteristics ▼

Model No.	A		B		Filter Area(M ²)	Pump(Kw)	Valve Connections		Max Flow Rate		Sand(Kg)
	mm	in	mm	in							
2509	360	14.2	750	29.5	0.1	0.25	1.5inch	50mm	72lpm	4.32m ³ /h	20
2510	410	16.1	815	32.1	0.13	0.37	1.5inch	50mm	102lpm	6.48m ³ /h	35
2511	460	18.1	820	32.3	0.16	0.55	1.5inch	50mm	135lpm	8.10m ³ /h	45
2512	520	20.5	845	33.3	0.22	0.75	1.5inch	50mm	185lpm	11.10m ³ /h	85

Solar Heating Panel

- ▶ Pool Solar heating panel
- Solar collectors made of PE

Item	Size
2801	10'x2.5' /3mx0.75m of solar heating
2802	16'x2.5' /5mx0.75m of solar heating
2803	20'x2.5' /6mx0.75m of solar heating




How Solar Pool Heating Works

- Using the pool pump, water is automatically pumped through the solar collectors
- The water is then heated as it moves through the collectors.
- The heated water is returned back to the pool, through the return lines.




Solar Heater

Solar Heater converts the Sun's energy to heat—the most ecological and cost efficient way to heat your pool water! Solar Heater features an innovative dome design that provides better heat transfer than traditional solar systems, and need to set aside yard space for conventional solar panels. With Solar Heater connected to your above ground pool, you swimming season and save money on heating!



▶ 2810

- Dimensions:W57×D57×H32 cm
 - Heat your pool to a warm, comfortable temperature.
 - Extend your swimming season with warm water.
 - Dramatically reduces or eliminates pool heating costs compared with gas or electrical heater.
 - Includes a protective cover for storage purpose when not in use.
 - Installs in-line, quickly & easily.
 - Compatible with 32/38mm(1¼/1½in) pool flexible hoses.
 - Additional heaters can be easily connected for larger pools.
 - Includes 120cm/4ft hoses, fittings & stainless steel clamps.
- Integrated rack helps to set up an optimal solar angle for the heater. Depending on weather conditions, 1 heater is recommended per 10,000 liters of pool volume.



Pool Size Round or Rectangular	Recommended units of Solar Heaters
244cm/8ft	1
305cm/10ft	1
366cm/12ft	1 or 2
457cm/15ft	2
488cm/16ft	2
549cm/18ft	2 or 3
732cm/24ft(oval)	2 or 3
945cm/32ft	3
853cm/28ft	3

Solar Shower

▶ 28210G

One-section solar shower 20l
Cap & base is black

Material:PVC
Color:Black
Height:218M
Wall Thickness:3.5-3.8MM
Out Diameter:110MM
Maximum Water Temperature:60°C
Maximum Water Pressure:3.0 Bar
Die-casted Aluminium Base
Chrome Painted ABS Shower Heads
Chrome Painted ABS Elbow Fitting For Shower Heads
Zink Adjustable Hand For Cold And Hot Water
Including All The Other Fitting For Installation



Solar Shower

▶ 28220G

Two-section solar shower 20l
Cap & base is black

Material:PVC
Color:Black
Height:218M
Wall Thickness:3.5-3.8MM
Out Diameter:110MM
Maxumum Water Temperature:60°C
Maxumum Water Pressure:3.0 Bar
Die-casted Aluminium Base
Chrome Painted ABS Shower Heads
Chrome Painted ABS Elbow Fitting For Shower Heads
Zink Adjustable Hand For Cold And Hot Water
Including All The Other Fitting For Installation



Solar Shower

▶ 28411

One section solar shower 35l
With footshower

Material:PVC
Color:Black
Height:218M
Wall Thickness:4.2-4.5MM
Out Diameter:160MM
Maxumum Water Temperature:60°C
Maxumum Water Pressure:3.5 Bar
Die-casted Aluminium Base
Chrome Painted ABS Shower Heads (Dia:15CM)
Chrome Painted ABS Elbow Fitting For Shower Head
Zink Adjustable Hand For Cold And Hot Water
Including All The Other Fitting For Installation



Solar Shower

▶ 28441

Two section solar shower 35l
With footshower

Material:PVC
Color:Black
Height:218M
Wall Thickness:4.2-4.5MM
Out Diameter:160MM
Maxumum Water Temperature:60°C
Maxumum Water Pressure:3.5Bar
Die-casted Aluminium Base
Chrome Painted ABS Shower Heads
Chrome Painted ABS Elbow Fitting For Shower Heads
Zink Adjustable Hand For Cold And Hot Water
Including All The Other Fitting For Installation



Solar Shower

▶ 28330

One section solar shower 25l

Material:PVC
Color:Black
Height:215M
Wall Thickness:3.5-3.8MM
Out Diameter:110MM
Maxumum Water Temperature:60°C
Maxumum Water Pressure:3.0 Bar
Die-casted Aluminium Base
Chrome Painted ABS Shower Heads
Chrome Painted ABS Elbow Fitting For Shower Heads
Zink Adjustable Hand For Cold And Hot Water
Including All The Other Fitting For Installation



Solar Shower

▶ 28421

One section solar shower 35l
With footshower
Silver decoration


Material:PVC
Color:Black/Silver
Height:218M
Wall Thickness:4.2-4.5MM
Out Diameter:160MM
Maxumum Water Temperature:60°C
Maxumum Water Pressure:3.5 Bar
Die-casted Aluminium Base
Chrome Painted ABS Shower Heads
Chrome Painted ABS Elbow Fitting For Shower Heads
Zink Adjustable Hand For Cold And Hot Water
Including All The Other Fitting For Installation



Premium Product

▶1031

- Premium vacuum head
- Cast iron weighted
- W/swivel cuff and EZ twist
- Telepole connect /disconnect



▶1438

20"/50cm Premium polybristle Floor and wall brush w/roller bumper,push button angle adjust and EZ twist telepole connect /disconnect

▶1323

Premium large leaf skimmer w/ soft-scoop edge and EZ twist telepole connect /disconnect



▶1220

Premium large deep bag leaf rake w/ soft-scoop edge and EZ twist telepole connect /disconnect



Premium Product

▶1015

Premium vacuum head cast iron weighted w/swivel cuff and EZ twist telepole connect / disconnect



▶1208

Premium large deep bag leaf rake w/ bumper and EZ twist telepole connect /disconnect



▶1411

20"/50cm Premium polybristle floor and wall brush w/roller bumper ,push button angle adjust and EZ twist telepole connect /disconnect



▶1311

Premium large leaf skimmer w/ bumper and EZ twist telepole connect /disconnect



Above Ground Ladder



▶ 2402

2-step ladder
For pools height less than 76cm/30"



▶ 1716

Foot basin



▶2403

3-step ladder
For pools height less than 91.5-105cm/
36" - 42"



▶ 17161

Big foot basin



▶2404

4-step ladder
For pools height less than 122-132cm/
48" -52"



Stainless Steel Ladder



SL series For In-Ground Pool mm

Item NO.		Tube Dia	Step	A	B	C	D	E	F
With Plastic Step	With S.S Step								
SL215P	SL215	φ42	2	620	1320	700	250	200	500
SL315P	SL315	φ42	3	620	1570	700	250	200	500
SL415P	SL415	φ42	4	620	1820	700	250	200	500
SL515P	SL515	φ42	5	620	2070	700	250	200	500



SU series For In-Ground Pool mm

Item NO.		Tube Dia	Step	A	B	C	D	E	F
With Plastic Step	With S.S Step								
SU215P	SU215	φ42	2	265	1070	490	250	150	500
SU315P	SU315	φ42	3	265	1320	490	250	150	500
SU415P	SU415	φ42	4	265	1570	490	250	150	500
SU515P	SU515	φ42	5	265	1820	490	250	150	500



SF series For In-Ground Pool mm

Item NO.		Tube Dia	Step	A	B	C	D	E	F
With Plastic Step	With S.S Step								
SF215P	SF215	φ42	2	600	1350	720	250	170	500
SF315P	SF315	φ42	3	600	1600	720	250	170	500
SF415P	SF415	φ42	4	600	1850	720	250	170	500
SF515P	SF515	φ42	5	600	2100	720	250	170	500

Wall Skimmer



▶2001 Standard wall skimmer w/and return inlet



▶2002 Wide mouth wall skimmer w/ support and return inlet



▶2006 One complete wide mouth wall skimmer w/ support and return inlet



▶2029 Wide mouth gasket (2pcs)



▶2022 Hose adaptor



▶2021 Complete return inlet



▶2030 Wide mouth face plate



▶20321 Skimmer cover



▶2023 Basket for skimmer



▶2024 Spring loaded skimmer weir w/foam



▶2038 Return gaskets (2pcs)



▶2041 Ball set bush



▶2042 Vacuum plate with hose adaptor



▶2025 Screw for standard skimmer



▶2026 Screw for wide mouth skimmer



▶2045 Octagonal nut



▶2046 Eyeball base



▶2047 Return eyeball and ring



▶2027 Standard gasket(2pcs)



▶2028 Standard face plate



▶2051 Protective wall support for skimmer



▶2003 Main drain

Vacuum Head



▶1001

Standard liner vac head cast iron weighted



▶1002

Economy liner vac head



▶1003

Triangular liner vac head w / swivel cuff



▶1004

Triangular transparent cast iron weighted vac head w / swivel cuff



▶1005

Deluxe large vac head cast iron weighted w / side brush



▶1006

Deluxe large vac head cast iron weighted



▶1007

14" Flexible vac head for in-ground pool



▶1008

14" Flexible vac head w / side brush for in-ground pool



▶1017

14" Flexible vac head for in-ground pool



▶1010

14" Flexible vac head w / EZ-clip and swivel cuff



▶1026

Vac head with air relief valve



▶1021

14" Flexible vac head w/swivel metal Handle

Vacuum Head



▶1011

14" Aluminum vac head



▶1012

18" Deluxe large Aluminum vac head



▶1013

14" Aluminum Vac head w/butterfly handle and screws



▶1014

18" Deluxe large Aluminum Vac head w/ butterfly handle and screws




▶1024

19" Deluxe flexible vac head



▶10241

19" Deluxe flexible vac head w/ metal Handle



Jet Vacuum



▶1101
Economy jet vac w/ brush for small above ground pool



▶1102
Jet vac w/ brush for spa and splasher



▶1103
Jet vac kit w/ 5 section pole of 48"/120cm



▶1104
Jet vac kit w/ 3 section pole of 52"/135cm



▶1105
Black magic Jet vac with brush for spa & splasher



▶1106
Jet vac kit w/3 section pole of 43"/110cm



▶10301
φ14.5"/37cm Leaf eater w/ swivel wheels & brushes



▶2904
Replacement bag for jet vac 1101/1021/1031/1041/1051/1106 24x39cm



▶2958
Big replacement bag for leaf eater 1022/1030 45x60cm

▶1803
Manual vacuum cleaner for above ground pool and spa



Leaf Skimmer



▶1301
Standard leaf skimmer



▶1302
Heavy duty plastic leaf skimmer



▶1303
Aluminum leaf skimmer w/blue anodized handle (available silver handle as 13031)



▶1304
Leaf skimmer w/ aluminum handle (available blue handle as 1318)



▶1305
Professional heavy duty aluminum leaf skimmer



▶1306
Leaf skimmer w/ aluminum frame and plastic handle



▶1322
Service grade leaf skimmer



▶1319
Leaf skimmer w/ magnet



▶1307
Leaf skimmer w/ aluminum pole of 48"/122cm in 5 section



▶1308
Leaf skimmer W/3x14"/3x35cm telescopic pole



▶1309
Leaf skimmer w/48"/122cm, φ12mm aluminum pole



▶1310
Leaf skimmer w/ 60"/150cm, φ22mm aluminum pole

Leaf Rake

NEW



▶1231 Heavy Duty Swimming Pool Leaf Rake with Strong Reinforced Aluminum Frame Handle, Deep Net Bag - Commercial Grade - Fast Cleaning, Easy Debris Pickup & Removal



Easy clip

NEW



▶1331 Heavy Duty Swimming Pool Leaf Skimmer with Strong Reinforced Aluminum Frame Handle, Commercial Grade - Fast Cleaning, Easy Debris Pickup & Removal



▶1201 Economy deep bag leaf rake



▶1202 Economy deep bag leaf rake w/ aluminum handle



▶1203 Aluminum frame deep bag leaf rake w/ blue handle (silver handle available as 12031)



▶1204 Heavy duty plastic leaf rake w/ long wearing mesh



▶1205 Professional heavy duty deep leaf rake w/ aluminum frame



▶1207 Deluxe deep bag leaf rake w/ aluminum frame & ABS handle



▶1219 Service Grade Deep Rake



▶1215 Service Grade Deep Rake



▶12044 Heavy duty plastic leaf rake w/ long wearing mesh-Australian version



▶1211 Leaf rake w/ 3x14"/3x35cm telepole



▶1218 Leaf rake w/ 60"/150cm ,φ22mm aluminum pole

Brush



▶1401 18"/45cm standard curved polybristle wall brush



▶1405 18"/45cm deluxe wall brush w/ aluminum back



▶1437 18"/45cm wall brush w/ aluminium handle



▶14013 18"/45cm standard curved polybristle wall brush



▶1403 18"/45cm deluxe stainless steel algae brush w/ aluminum back



▶1439 18"/45cm wall Brush w/ aluminium handle, stainless steel bristle



▶1406 Oversized polybristle wall brush w/ EZ-clip



▶1408 Flexible brush w/ aluminum handle EZ-clip and extra bristle



▶14081 Flexible brush w/ aluminium handle EZ-clip, stainless steel bristles



▶1429 19"/50cm Metal Back Wall Brush with EZ-clip Handle, pp bristle



▶1430 24"/60cm Metal Back Wall Brush with EZ-clip Handle, pp bristle



▶1431 36"/90cm Metal Back Wall Brush with EZ-clip Handle, pp bristle



▶14291 19"/50cm Metal Back Wall Brush with EZ-clip Handle, pp bristle



▶1436 24"/60cm Metal Back Wall Brush with EZ-clip Handle, pp bristle



▶1435 36"/90cm Metal Back Wall Brush with EZ-clip Handle, pp bristle

Brush



▶1402
10"/26cm polybristle wall brush



▶1441
10"/26cm Wall Brush with Aluminium Handle. PP bristles



▶1443
5.5"/14cm Wall Brush with Aluminium Handle, PP bristles



▶1404
10"/26cm Hi-grade stainless steel algae brush



▶1442
10"/26cm Wall Brush with Aluminium Handle. stainless steel bristles



▶1444
5.5"/14cm Wall Brush with Aluminium Handle, stainless steel bristles



▶1445
10"/26 cm wall brush with 3x52"/135cm aluminium pole



▶1446
Pumice Stone



▶1428
Evolution Corner Vacuum Brush



▶1450
Magic Scrubbing Foam (Set of 2 large + 3 small pieces)



▶1410
Finger brush



▶1409
Scrubber pad brush



▶1407
Water line scrub pad with detergent tank and EZ-clip



▶14042
10"/26cm 'Hi-grade' stainless steel algae brush brush (Australian handle)



▶1422
Polybristle corner brush on EZ-Clip handle



▶2909
Replacement scrub pads for 1407



▶1427
18"/45cm standard curved polybristle wall brush (Australian handle)



▶14021
10"/26cm polybristle wall brush (Australian handle)

Dispenser



▶1501
9" Large chemical dispenser for 3" tablets



▶1503
7" Chemical dispenser for 3" tablets



▶1505
5" Chemical dispenser for 1 1/2" tablets



▶1502
9" Large chemical dispenser for 3" tablets, Retractable design



▶1504
7" Chemical dispenser for 3" tablets, Retractable design



▶1506
5" Chemical dispenser for 1 1/2" tablets, Retractable design



▶1516
8" Chemical Dispenser (High 12") for 3" Tablets



▶1514
7" Chemical Dispenser for 3" Tablets



▶1513
5" Chemical Dispenser for 1 1/2" Tablets



▶1515
7" Chemical Dispenser for 3" Tablets with Thermometer



▶15142
7" Chemical Dispenser for 3" Tablets Retractable design



▶1517
5" Spa Chemical Dispenser for 1 1/2" Tablets



▶1510
Floating animal dispenser with thermometer-Turtle



▶15072
4lb in line chemical feeder w/ fittings and bottom support



▶1507
4lb in line chemical feeder w/ fittings and bottom support

Aluminum Telepole

▶ Standard Grip & Lock Color: Silver and Blue



	2X120CM	2X180CM	2X240CM	3X100CM	3X120CM	3X150CM
Smooth pole-0.8mm thick	2212SABU	2218SABU	2224SABU	2310SABU	2312SABU	2315SABU
Smooth pole-1.1mm thick	2212SBBU	2218SBBU	2224SBBU	2310SBBU	2312SBBU	2315SBBU
Ribbed pole-0.8mm thick	2212RABU	2218RABU	2224RABU	2310RABU	2312RABU	2315RABU
Ribbed pole-1.1mm thick	2212RBBU	2218RBBU	2224RBBU	2310RBBU	2312RBBU	2315RBBU

▶ TYPE-A Oversized Grip & Lock Color: Silver and Blue



	2X120CM	2X180CM	2X240CM
corrugated pole-0.8mm thick	A-2212RABU	A-2218RABU	A-2224RABU
corrugated pole-1.1mm thick	A-2212RBBU	A-2218RBBU	A-2224RBBU

▶ TYPE-B Deluxe Grip & Lock Color: Silver and Blue



	2X120CM	2X180CM	2X240CM
corrugated pole-0.8mm thick	B-2212RABU	B-2218RABU	B-2224RABU
corrugated pole-1.1mm thick	B-2212RBBU	B-2218RBBU	B-2224RBBU

▶ TYPE-C Deluxe EZ Twist Connect and Disconnect Lock Color: Silver and Blue



	2X120CM	2X180CM	2X240CM	3X100CM	3X120CM	3X150CM
Smooth pole-0.8mm thick	C-2212SABU	C-2218SABU	C-2224SABU	C-2310SABU	C-2312SABU	C-2315SABU
Smooth pole-1.1mm thick	C-2212SBBU	C-2218SBBU	C-2224SBBU	C-2310SBBU	C-2312SBBU	C-2315SBBU
Ribbed pole-0.8mm thick	C-2212RABU	C-2218RABU	C-2224RABU	C-2310RABU	C-2312RABU	C-2315RABU
Ribbed pole-1.1mm thick	C-2212RBBU	C-2218RBBU	C-2224RBBU	C-2310RBBU	C-2312RBBU	C-2315RBBU



▶1725

Plastic pole hanger (2pcs) w/screws



▶1726

Alu Pole & Hose Hook Set(2pcs) with screws



▶1734

Alu Pole & Hose Hook Set(2pcs) with screws

Hose



▶ Extruded Hose PE vacuum hose

	20ft(6m)	30ft(9m)	40ft(12m)	42ft(13m)	50ft(15m)	100ft(30m)
¢ 1 1/4"	3206PE	3209PE	3212PE	3213PE	3215PE	3230PE
¢ 1 1/2"	3806PE	3809PE	3812PE	3813PE	3815PE	3830PE

▶ Extruded Hose-EVA

(EVA spiral wound hose with UV protection)

	20ft(6m)	30ft(9m)	40ft(12m)	42ft(13m)	50ft(15m)
¢ 1 1/4"	3206EV	3209EV	3212EV	3213EV	3215EV
¢ 1 1/2"	3806EV	3809EV	3812EV	3813EV	3815EV
¢ 2"	5006EV	5009EV	5012EV	5013EV	5015EV



▶ Transparent PVC blue backwash hose 25'/50'/75'/100'/200' 1.5"-2"available

	25ft(7.5m)	50ft(15m)	75ft(22.5m)	100ft(30m)	200ft(60m)
¢ 1 1/2"	38514	38523	38533	38543	38553
¢ 2"	38515	38574	38583	38593	38603



▶ PE blue backwash hose 25'/50'/75'/100'/200' 1.5"-2"available

	25ft(7.5m)	50ft(15m)	75ft(22.5m)	100ft(30m)	200ft(60m)
¢ 1 1/2"	38513	38524	38534	38544	38554
¢ 2"	38564	38575	38584	38594	38604



▶ Economy PVC blue backwash hose 25'/50'/75'/100'/200' 1.5"-2"available

	25ft(7.5m)	50ft(15m)	75ft(22.5m)	100ft(30m)	200ft(60m)
¢ 1 1/2"	3851	3852	3853	3854	3855
¢ 2"	3856	3857	3858	3859	3860



▶ Drain Hose ,Blow molded PE (Sectionable every 1m ,in roll of 36m or 50m.)

	108ft(36m)	150ft(50m)
¢ 1 1/4"	3203	3204
¢ 1 1/2"	3803	3804



▶ Filter connector hose Blow molded PE.

	3ft(1m)	6ft(2m)
¢ 1 1/4"	3201	3202
¢ 1 1/2"	3801	3802



▶ Reel vacuum hose set

	108ft(36m)
3862	Hose Reel-carrie vacuum hose with Extruded PE hose ¢ 1 1/2"-9M
3863	Hose Reel-carrie vacuum hose with Spiral wound EVA hose ¢ 1 1/2"-13M
3864	Hose Reel-carrie vacuum hose with Extruded PE hose ¢ 1 1/2" - 13M



▶ 3861

Hose Reel (carrier vacuum hose up to 13m in length,Not include the hose)

Thermometer



▶1601
Economy thermometer



▶1602
Large thermometer



▶1603
Jim buoy thermometer



▶1604
Deluxe floating thermometer



▶1605
Deluxe round thermometer



▶1609
Round colorful economy thermometer



▶1607
Jumbo easy read thermometer



▶1619
Floating nipple thermometer (one side)



▶1620
Floating nipple thermometer (two-sided)



▶1608
Deluxe round thermometer



▶1629
Wireless pool thermometer



▶16161
Solar powered digital floating thermometer (on button with automatic shou off)



▶16162
Solar powered digital floating thermometer (on button with automatic shou off)



▶16163
Solar powered digital floating thermometer (on and off button)

Thermometer



▶1610
Floating animal thermometer



▶1611
Floating cool pool animal thermometer



▶1612
Floating animal thermometer in 4 styles



▶1630
Floating animal thermometer (fish)



▶1631
Floating animal thermometer (fish)



▶1621
Floating animal thermometer (Frog)



▶1622
Floating animal thermometer (Penguin)



▶1623
Floating animal thermometer (whale in Recliner)



▶1624
Floating animal thermometer (crab)



▶1625
Floating animal thermometer (octopus)



▶1626
Floating thermometer (oldman in bathtub)



▶1627
Floating animal thermometer (the ugly fishing boat)